

G3.5 + G4

GAS INSERT FIREPLACES + AUTOFIRE™



**TWO DECADES
OF LEGENDARY HEAT.**

Valor
FIREPLACES

Why Choose

Feel the heat.

All our gas fireplace radiate heat. Like feeling the sun on your skin. The best kind of heat there is.

Heater-rated

We're rated with space heaters so we put Radiant Heat Technology into every fire. You can feel it.

Works quietly.

We designed our gas fireplaces to move the heated air via natural convection at the rate of 120 cubic foot per minute—no need for a noisy blower.

Stainless Steel burner

Our precision stainless steel burners don't rust, and create an enhanced flame and ember glow that produces radiant heat.

Efficiency

Valor fireplaces are heater-rated. Our Radiant Zone Heating is up to 25% more efficient than central forced air systems.

G4
DRIFTWOOD 1000BLKV2
REFLECTIVE GLASS LINER 787RGL
2.5" VINTAGE IRON FLOATING FRONT 790FTV



To find out more, visit
valorfireplaces.com/why-valor

A Valor?

Improving heat

Our exclusive *Secondary Heat Exchanger* and our aerodynamic firebox naturally improve convective heat—without a fan.

Ceramic glass window

Valor's durable and robust ceramic glass window improves radiant performance by absorbing and distributing radiant heat.

No power?

No problem. All Valor gas fireplaces run on 4 AA batteries as the primary source of power—not as back-up power like other brands. And you'll save money on your electrical bill.

Outdoor-friendly.

All Valor gas fireplaces are rated for outdoors under a covered patio and use quality materials that exceed the requirements for outdoor use.

Logs provide heat.

High definition, low mass fiber ceramic logs heat up and glow quickly. We harness the radiating heat from our logs, just like real logs.

Built to last.

Our aluminized steel fireboxes handle high temperatures, delivering efficient radiant warmth. Our baked-on powder-coated paint offers a better texture and a more durable finish.

Safety

We put our fires through rigorous safety testing in our in-house CSA approved lab. We provide a screen with every fireplace to keep you and your loved ones safe.

Design your own.

Visit the Valor Fireplace Design Center to design your very own Valor Fireplace today.



A photograph of a living room interior. In the background, a grey sofa is adorned with several colorful pillows in shades of yellow, white, red, and teal. A child is sitting on the sofa with their legs crossed, wearing dark blue shorts. In the foreground, another child is sitting on a vibrant, patterned rug, looking down at a smartphone. Spread out on the rug are various items: an open book, a pencil, and a large, detailed map. The scene is lit with warm, natural light from a window in the background.

Logs

G4
TRADITIONAL LOGS 1000LSKV2
FLUTED BLACK LINER 788FBLV2
2.5" VINTAGE IRON FLOATING FRONT 790FTV

Old wood fireplaces are highly inefficient heaters. Replace yours with a gas insert for an air-sealed, energy efficient and easy-to-use source of home comfort.

We design all our expertly crafted logs as realistic-looking as possible, and engineer them to harness radiant heat from the flames and glowing embers. The G3.5 and G4 fire beds may have slight differences in appearance. To view them separately, go to valorfireplaces.com



BIRCH



TRADITIONAL LOGS



DRIFTWOOD




Liners



G4
BIRCH 100QBLKV2
REFLECTIVE GLASS LINER 787RGL
4" VINTAGE IRON FLOATING FRONT 792FTV

Choose a firebox liner to complement the logs and front style you select as well as the surround of your current fireplace. Please note the tint of the ceramic glass window can warm the liner colors, especially when the fire is on. If possible, visit your local Valor dealer to see a sample in person.

FLUTED BLACK





REFLECTIVE GLASS



LEDGESTONE



BRICK





G3.5
 BIRCH 700BLK
 FLUTED BLACK LINER 707FBL
 EDMONT BRONZE FRONT 721EDZ
 EDMONT 3-SIDED
 BACKING PLATE 717BPB

EDGEMONT FRONTS

Edgemont fronts are slightly offset from the required backing plate.



NEW CRAFTSMAN BLACK



CRAFTSMAN PEWTER




**CRAFTSMAN BRONZE
 ALSO IN CHAMPAGNE BRASS
 (G3.5 ONLY)**



NEW BLACK



VINTAGE IRON (G3.5 ONLY)



BRONZE



FLOATING

Floating fronts sit proud by 1½" of the wall or the optional backing plate.



VINTAGE IRON 2.5"
(G4 ONLY)



3-SIDED BRONZE 4"

G4 SQUARE
Square fronts are 1¾ deep.

4-SIDED VINTAGE IRON 4"
ALSO AS 3-SIDED



4-SIDED BLACK 4"
ALSO 3-SIDED (G3.5 ONLY)



SQUARE BLACK 5.75"
ALSO IN VINTAGE IRON



Finishes

G4
DRIFTWOOD 1000DWKV2
LEDGESTONE 786LSLV3
FLOATING 4-SIDED FRONT 798FFV

You can see the craftsmanship in our finishes. Made of steel and then powder-coated, or plated with an artisan touch—both offer durable, long-lasting finishes. If possible, visit your local Valor dealer to see a finish in person.

CRAFTSMAN BLACK



CRAFTSMAN PEWTER



CRAFTSMAN BRONZE






**CRAFTSMAN
CHAMPAGNE BRASS**



BLACK



VINTAGE IRON



BRONZE



Efficiency



G4
TRADITIONAL LOGS 1000LSKV2
FLUTED BLACK LINER 788FBLV2
FLOATING 3-SIDED FRONT 792FTV


We use government testing methods to determine our energy efficiencies, and ensure our products perform in your home as rated.

G3.5—FUEL BTU/HR

MODEL	FUEL	MAX. INPUT	MIN. INPUT	MAX. OUT*
700R	natural gas	26,000	13,000	20,933
	propane	26,000	11,000	20,933

G4—FUEL BTU/HR

MODEL	FUEL	MAX. INPUT	MIN. INPUT	MAX. OUT*
780R	NG/PG	28,000	14,000	20,993
	propane	26,000	11,000	20,993



Find out more at valorfireplaces.com/efficiency

* EnerGuide Ratings and Outputs have been determined without a fan/blower, using the CSA P4.1-15 test method. Certified to ANSI Z21.88/ CSA 2.33 Vented Gas Fireplace Heater American National Standard. CGA — 2.17-91 Gas Fired Appliances for use at High Altitudes.

EDGEMONT BACKING PLATES

All Edgemont fronts, including Craftsman, require Edgemont backing plates, available in 3 and 4-sided styles and different thicknesses. The fronts are slightly offset from the backing plate. See below.

G3.5



Backing plate:
1½" thick




4-SIDED
719BPB
36¼"w x 29¼"h



3-SIDED
717BPB
36¼"w x 26½"h




Backing plate:
½" thick.




FLAT 3-SIDED
717BPBF
37¾"w x 27¼"h

G4





Backing plate:
¾" thick.



4-SIDED
799BPB-4S
42 w x 31⅞" h

799BPB-1



SMALL,
2 OPTIONS
39½ w x 27" h

799STB-1






MEDIUM
799BPB-2
46" w x 31" h



LARGE
799BPB-3
48" w x 32⅜" h

FLOATING FRONTS + BACKING PLATES

These optional flat backing plates below are .5" thick and pair with 3-sided Floating fronts. The G3.5 backing plates may also be used with G3.5 Edgemont backing plates to cover a larger opening.



G3.5





The Floating fronts sit proud of the flat backing plates by 1.5".

G4




The Floating fronts sit proud of the flat backing plates by 1.5".

OR



SHOWN WITH 2.5" FLOATING FRONT




SHOWN WITH 5" FLOATING FRONT



SHOWN WITH 5¾" SQUARE FRONT

DIMENSIONS




MINIMUM CAVITY DIMENSIONS


	WITH ALL BACKING PLATES EXCEPT 717BPBF	WITH 717BPBF (FLAT PLATE)
G3.5		
depth (X)	13 $\frac{1}{2}$ "	14 $\frac{1}{2}$ "
depth (X) with fan	16 $\frac{1}{2}$ "	17 $\frac{1}{2}$ "
height (Y)	20 $\frac{1}{2}$ "	22 $\frac{3}{8}$ "
width (not shown)	28 $\frac{7}{8}$ "	30 $\frac{7}{8}$ "

	ALL FRONTS EXCEPT 799ED OR 784ED EDMONT		EDGEMONT FRONTS 799ED OR 784EC	
G4				
	Standard install	796 Leveling platform	799BPB Flat backing plate	799STB-1 Square backing plate
width (X)	33 $\frac{3}{4}$	33 $\frac{3}{4}$	35 $\frac{3}{4}$	33 $\frac{3}{4}$
depth W/ Fan	18 $\frac{1}{2}$	18 $\frac{1}{2}$	19 $\frac{3}{4}$	18 $\frac{1}{2}$
depth No Fan	15 $\frac{1}{2}$	16	16 $\frac{3}{4}$	15 $\frac{1}{2}$
height (Y)	23 $\frac{3}{4}$	23 $\frac{3}{4}$	23 $\frac{3}{4}$	23 $\frac{3}{4}$

*Please note that the 799BPB-4S 4-Sided Backing Plate extends below the bottom of appliance by 2 $\frac{1}{8}$ ".



MANTEL CLEARANCES




G3.5

Mantel Projection A	0 – 6"	8"	10"	12"
Mantel Height B*	33"	35"	37"	39"

G4

Mantel Projection A	1"	4"	8"	14"
Mantel Height B*	34"	36"	38"	40"

* Measured from underside of mantel to finished hearth or surface that unit sits on.



ALWAYS REFER TO THE MANUAL
FOR COMPLETE AND ACCURATE
INSTALLATION INSTRUCTIONS.

G3.5
HOMEOWNER





G3.5
INSTALLER



G4
HOMEOWNER



G4
INSTALLER



Remote

Set the temperature for specific times of the day.

Child Proof your remote for safety and ease.

Set the timer to turn the fireplace off up to 9 hours ahead.

Program your fireplace to turn on and off when you want at the temperature you want.

Accurately knows the current temperature of your room.



This standard, interactive remote has up-to-the-moment information on the state of your fireplace, and lets you select, adjust or program your desired temperature—automatically adjusting the fire to maintain the room temperature.

You can even turn your pilot light on or off from the comfort of your sofa.

OPTIONS

DIRECT VENT	G3.5	G4
V-Class Stainless Steel Burner: Natural Gas or Propane	700R	780R

FUEL BED		
V-Class Birch	700BLK	1000BLKV2
V-Class Traditional logs	700LSK	1000LSKV2
V-Class Driftwood	700DWK	1000DWKV2

LINER		
Ledgestone	705LSLV3	786LSLV3
Fluted Black	707FBL	788FBLV2
Reflective Glass	706RGL	787RGL
Red Brick	708VRL	789VRLV2

FRONT		
Edgemont		
Bronze	721EDZ	799EDFZ
Craftsman Black	716ECB	784ECB
Craftsman Pewter	716ECPW	784ECPW
Craftsman Champagne Brass	716ECCB	
Craftsman Bronze	716ECBR	

FLOATING, 3-SIDED		
Vintage Iron 2.5"		790FTV
Black	709FTB	
Vintage Iron	709FTV	792FTV
Bronze		792FTZ

FLOATING, 4-SIDED		
Black	713FFB	
Vintage Iron	713FFV	798FFV

SQUARE, 3-SIDED, 5.75"		
Vintage Iron		791STV
Black		791STB

RISER			
Black, small	725RTB		40"w x 2½"h
Black, large	793RTB	793RTB	46¼"w x 2½"h
Vintage Iron, large	793RTV	793RTV	46¼"w x 2½"h

CHOOSE A BACKING PLATE:

Required Edgemont backing plate		
3-SIDED 717BPB (G3.5) 717BPBF (G3.5) 799BPB-1 (G4) 799BPB-2 (G4) 799BPB-3 (G4) 799STB-1 (G4)	or	4-SIDED 719BPB (G3.5) 799BPB-4S (G4)

Optional floating backing plate		
3-SIDED, SMALL 710BPB (G3.5) 794BPB (G4)	or	3-SIDED, LARGE 714BPB (G3.5) 794BPB-1 (G4)

Use these G3.5 backing plates with G3.5 backing plate 717BPB to cover larger openings.

⚠ WARNING

This product can expose you to chemicals including Benzene, which is known to the State of California to cause cancer and birth defects or other reproductive harm.
For more information go to www.P65Warnings.ca.gov

Note: Natural gas, in its original state, contains Benzene.

Risers fit specific fronts and backing plates. See manual.

valorfireplaces.com

G3.5
BIRCH 700BLK
FLUTED BLACK LINER 707FBL
EDGEMONT VINTAGE IRON FRONT 721EDV
FLOATING 4-SIDED BACKING PLATE 719BPB
BRG35-G426E APR

Valor
FIREPLACES